Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	678	email and (encrypt\$3 or encod\$3) with stor\$3 and @ad<="20010508"	USPAT	OR .	OFF	2005/06/27 09:54
S4	23	email and (encrypt\$3 or encod\$3) with only near2 stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:56
S5	0	email with (encrypt\$3 or encod\$3) with only near2 stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:56
S6	0	email same (encrypt\$3 or encod\$3) with only near2 stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:56
S7	0	email same (encrypt\$3 or encod\$3) with only near4 stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:57
58	3	email same (encrypt\$3 or encod\$3) with only with stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:01
. S9	77	email and (encrypt\$3 or encod\$3) with only with stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2007/04/05 17:28
S10	23	email and (encrypt\$3 or encod\$3) with only near2 stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:09
S11	26	email with (encrypt\$3 or encod\$3) with stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:34
S12	26	email with (encrypt\$3 or encod\$3) with (stor\$3 or sav\$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:35
S13	1	email with (encrypt\$3 or encod\$3) with (sav\$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 11:49
S14	780	send\$3 and receiv\$3 and (encrypt\$3 or encod\$3) with (sav\$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 11:50
S15	217	send\$3 and receiv\$3 and (encrypt\$3 or encod\$3) near2 (sav\$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 11:50
S16	18	send\$3 and receiv\$3 and (encrypt\$3 or encod\$3) near2 (sav\$3) and @ad<="20010508" and email	USPAT	OR .	OFF	2005/06/27 11:51
S17	1	send\$3 and receiv\$3 and (decrypt\$3 with (encrypt\$3 or encod\$3)) near2 (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10

S18	1	(decrypt\$3 with (re-encrypt\$3 or re-encod\$3)) near2 (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S19	.1	(decrypt\$3 with (re-encrypt\$3 or re-encod\$3)) near5 (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S20	1	(decrypt\$3 with (re-encrypt\$3 or re-encod\$3))with (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S21	19	(decrypt\$3 with (re-encrypt\$3 or re-encod\$3))same (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:11
S22	0	(email same decrypt\$3 with (re-encrypt\$3 or re-encod\$3))same (sav\$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 12:11
S23	19	(decrypt\$3 with (re-encrypt\$3 or re-encod\$3))same (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S24	1	(decrypt\$3 with (re-encrypt\$3 or re-encod\$3))near2 (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S25	1	(decrypt\$3 with (re-encrypt\$3 or re-encod\$3))with (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S26	20	(decrypt\$3 with (encrypt\$3 or encod\$3))with (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S27	0	(email same (decrypt\$3 with (encrypt\$3 or encod\$3))with (sav\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:15
S28	. 7	(email same (decrypt\$3 with (encrypt\$3 or encod\$3))with (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:24
S29	74	(email same ((cipher\$3 encrypt\$3 or encod\$3))with (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:24
S30	74	(email same ((cipher\$3 or encrypt\$3 or encod\$3))with (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:25
S31	0	(email same ((cipher\$3))near4 (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:25
S32	10	(email same ((encode\$3))near4 (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:26
4/16/20	07 12:04:13 P	M				Page 2
		tings\ltruong6\My Documents\EAST\Works	spaces\09851	.625.wsp		3

S33	3	(recei\$5 same email same ((encode\$3))near4 (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:26
S34	77	email and (encrypt\$3 with sav\$3) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:26
S35	0	email and (encrypt\$3 with sav\$3 near1 email) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/01/31 18:26
S36	0	email and (encrypt\$3 with store\$3 near1 email) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:26
S37	12	email and (encrypt\$3 with store\$3 near1 messages) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:42
S38	2	("20020136410").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/01/31 18:43
S39		("2001001458").PN.	USPAT; USOCR	OR	OFF	2006/02/01 11:44
S40	0	("2001001458").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 11:44
S41	1	("20010014158").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 12:08
S42	1	("6721784").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 12:10

			_			
S43	20773088	email\$3 and (encrypt\$3 with local)@ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:11
S44	137	email\$3 and (encrypt\$3 with local) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:11
S45	24	email\$3 and (encrypt\$3 with local with sav\$3) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:18
S46	50	email\$3 and (encrypt\$3 with local with stor\$3) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:34
S47	4	(encrypt\$3 with local with stor\$3 with email) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:38
S48	0	(encodi\$3 with local with stor\$3 with email) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:17
S49	1	("6,625,734").PN.	USPAT; USOCR	OR	OFF	2006/02/01 13:17
S50	. 2	("6721784").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 16:59
S51	2	("6625734").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:13

·	,	100	·		,	·
S52	2	("6590887").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:13
S53	2	("6697422").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:14
S54	2	("5249220").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:15
S55	2	("5844922").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:17
S56	2	("5859594").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:18
S57	2	("6539118").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:18
S58	. 619	(character\$3 with encod\$3 with formats) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:28
S59	47	((select\$3 choos\$3 evaluat\$4) with character\$3 with encod\$3 with formats) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:29

S60	76	((select\$3 choos\$3 evaluat\$4) with character\$3 with encod\$3 with formats)".a.b" and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:29
S61	47	((select\$3 choos\$3 evaluat\$4) with character\$3 with encod\$3 with formats) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:29
S62	6	((select\$3 choos\$3 evaluat\$4) with character\$3 with encod\$3 with formats) .ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:31
S63		((select\$3 choos\$3 evaluat\$4) with character\$3 with encod\$3 with formats) and text adj1 messages and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 11:58
S64	2	("20040221032").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 11:58